

Product Brief: Z20 Cloud Appliance

Easily Manage your Media Archive



Browse, Search, Preview and Download

With the Z20 Appliance, users can browse and search for their content, view image thumbnails and play video previews. Having identified the files that they need, they can then download them. For files that are stored on an inaccessible cloud storage tier, such as AWS Glacier or Azure Archive Tier, they can initiate a rehydration and then download files when accessible.

The Z20 is optimized for video and image files but it supports all file types from an XML file to a Word doc.


Self-Service Made Easy

The web UI allows users to check that they are rehydrating and/or downloading the correct media files before incurring rehydration and egress fees. And because it provides users with a self-service to easily restore individual files, it minimizes the need for IT support staff involvement.

The Z20 supports multiple user groups, each of which has its own administrator. This takes further load off the IT staff, as the administrators manage access and download/rehydrate rights for their users.

Simultaneous Access: Network Share and Web Interface

Files archived in the cloud may be accessed simultaneously over the network and via the web interface.



On-Prem Users:

- ✓ Read-write via network share
- ✓ Browse, search, view previews, rehydrate and download via web portal

Network Share

The Z20 can be accessed by applications and network users as a standard network share. It runs Windows 11 Pro and adheres to the Microsoft security model based on Active Directory, making it simple to add to an existing domain or workgroup.

Web Portal

On-prem users can also be given access to the Z20 web portal, allowing them to browse, search, view previews of video and image files, change cloud storage tiers and download files. And, by adding an SSL certificate, remote users can also be given web portal access.



Multi-Cloud

The Z20 provides a unified view of files stored on multiple clouds, including AWS S3, Azure Blob Storage, Seagate Lyve and Wasabi. If your organization has content in multiple clouds, the content can be managed using one appliance. The Z20 can even be used to migrate from one cloud to another.

Base System Specification

| | |
|---------------------------|---|
| Management Software: | XenData Cloud File Gateway XenData Alert Module FS Mirror Media Portal, Standard Edition |
| Operating System: | Microsoft Windows 11 Pro |
| Processor: | 4-core Xeon |
| RAM: | 16 GB |
| System Volume: | 480 GB SSD |
| Managed Local Disk: | 1 x 3.84 TB SSD |
| Spare SFF bays | Two. One or two additional 3.84 TB disks may be added to increase the size of the managed local disk. |
| Base Model Network Ports: | 4 x 1 GbE ports |
| Network expansion slots: | OCP 3 at rear. See hardware upgrade options. |
| Network Protocols: | CIFS/SMB |
| USB Connections: | Four USB 3.2 in rear One USB 3.2 in front |
| Video Interfaces: | VGA and Display Port on rear |
| Spare PCIe slots. | One. |
| Number of Power Supplies: | One. A second dual redundant power supply may be added. |
| Power (per power supply): | 100-240V; 50-60 Hz 500W (at 100 VAC), 500W (at 240 VAC) |
| 19 Inch Rack Form Factor: | 1U |
| Depth | 387 mm (15.25 inches) |
| Weight: | 9.5 Kg (20.95 lbs) |
| Rack Rails: | Included |

Hardware Upgrades

| XenData Part Number | Description |
|---------------------|--|
| 107349 | Additional 500 W power supply. |
| 239009 | Additional 3.84 TB SSD. One expands the capacity of the local managed disk volume to 7.68 TB and two increase it to 11.52 TB. |
| 143006 | Dual port 10 GbE Base-T network adapter for use with CAT6 or UTP cabling. Uses the OCP 3 slot. |
| 143005 | Dual port 10/25GbE SFP+ Adapter. Uses the OCP 3 slot. Does not include transceivers. (SKU 101081 or 101172) not included. |
| 101081 | SFP+ 10 GbE Transceiver. Quantity 2 required to use both ports in a dual port adapter. Suitable for use with item 143004. |
| 101172 | SFP28 25 GbE Transceiver (JL484A Compatible). Quantity 2 required to use both ports in a dual port adapter. Suitable for use with item 143004. |

Contact Us

XenData USA: Pine Grove, California | +1 925 465 4300

XenData Europe: Cambridge, UK | +44 1223 370114

Email: xendata@xendata.com | Web: www.xendata.com

Last Updated: March 27, 2025