

hohem

**MIC-01**

Elevated Audio,  
Plug & Play



# PLUG-AND-PLAY

## Lightning-Fast Setup

Upon powering on, just plug the RX into your smartphone's interface, and it automatically pairs without any additional steps required.

\*iOS devices require a Lightning adapter RX, while Android devices need a Type-C adapter RX.



# ROMOTE CONTROL

## For Shooting and Recording

Press the **TX Power Button** once to navigate shutter control.

- Take a picture
- Start/Stop Recording

Simple one-click for seamless recording



# BUILT-IN STORAGE

## For Backup Recording

Equipped with a **TF Card Slot**, the TX transmitter also serves as a standalone recorder. You can press the **TX Power Button** to activate the recording feature for extra audio safety while the RX are not plugged in.

Never miss any  
important moments




# hohem MIC-01

48KHZ  
Lossless Sampling



Omnidirectional  
Pickup



DSP Noise  
Cancellation

Apple MFI Certified




Versatile Compatibility

20-Hour  
Battery Life



One-Touch Mute



hohem

# MIC-01 Competition Analysis

	Hohem MIC-01	HOLLYLAND LARK M1	BOYA LINK
Shutter Control	Take a Photo, Stat/Stop Recording	-	-
Built-In Storage	TF Card Slot for backup recording	-	-
Plug & Play	Plug-in RX, Automatically pairs	Plug-in RX, Automatically pairs	Plug-in RX, Automatically pairs
Compatibility	Smartphone/Camera/Laptop/Tablet	Smartphone/Camera/Laptop/Tablet	Smartphone/Camera/Laptop/Tablet
Noise Cancellation	DSP 3-Level Noise Cancellation	HearClear Noise Cancellation	DSP Noise Cancellation
Pickup Pattern	360° Omnidirectional	360° Omnidirectional	360° Omnidirectional
Wearing	Lavalier Clip/Magnetic Attachment	Lavalier Clip	Lavalier Clip
Sample Rate	48KHz, 16Bit	48KHz, 16Bit	48KHz, 16Bit
One-Touch Mute	Supported	-	√
Real-Time Monitor	Support Wired Earbuds	-	-
Reverb Mode	Automatic Vocal Enhancement	-	-
Audio Receive	Mono/Stereo	Only Mono	Mono/Stereo
Smartphone Speaker	Supported	-	-
External Microphone Expansion	Supported	-	-
Audio Transmission Range	65ft (free movement), 488ft(150m)	130ft (free movement), 650ft(200m)	325ft(100m)
Operating Time	Charging Case+1RX+2TXs: 20hrs	Charging Case+1RX+2TXs: 24hrs	Charging Case+1RX+2TXs: 30hrs
MFi Certified	√	√	√

hohem



# MIC-01