


SINGLE-USE PROTECTIVE MASK

SPECIFICATIONS

CE EN 149 : 2001 + A1 2009

ISO 13485

CONSTRUCTION



3rd Layer - Skin-Friendly Non-Woven Fabric

Soft and breathable dust-blocking layer.







Non-Woven Fabric

The first line of defense against bacteria, dust, pollen, viruses, and more.

Dense Meltblown Filter

Strong barrier against bacteria, pollen, dust, viruses, and other particles.

Skin-Friendly Non-Woven Fabric

Soft and breathable, dust-blocking layer designed to be comfortable on your face.



TEST RESULTS



Test	Standard	Result	Rating
Filter Efficiency GB/T32610-2016 (%)	≥90	95.8	PASS
Filter Efficiency GB 2626-2006 (%)	≥90	90.1	PASS
Particle Protective Performance GB/T32610-2016 (%)	≥65	70.6	PASS
Respiratory Resistance GB/T32610-2016 (Pa)			
Inspiratory Resistance	≤175	39.2	PASS
Expiratory Resistance	≤145	27.8	PASS
Respiratory Resistance GB 2626-2006 (Pa)			
Inspiratory Resistance	≤350	30.0	PASS
Expiratory Resistance	≤250	24.3	PASS

Manufactured in China in an FDA-regulated facility.