



Acct: <b>ACCU REFERENCE LAB</b> 1 1901 EAST LINDEN AVE SUITE 4 LINDEN, NJ 07036 (908) 474-1004 Phys:	Patient: <b>DUMMY, DUMMY</b> DOB: Phone: ( ) - ID#: 89491603269999 Route#: 15 Fasting: N	Age: Sex: F Room# Page: 1
--	---	------------------------------------

Acc# <b>1604070093</b>	Coll. Date: 04/07/16	Recv. Date: 04/07/16	Print Date: 05/13/16
Chart#	Coll. Time:	Recv. Time: 11:56 AM	Print Time: 13:30
First reported on:	05/11/16	Final report date:	05/13/16

Test Name	Normal	Out of Range	Normal Range	Units
-----------	--------	--------------	--------------	-------

Report Status: FINAL

**Gastrointestinal Pathogen Panel**

**BACTERIA & BACTERIAL TOX**

SALMONELLA	NEGATIVE		NEGATIVE	
SHIGELLA	NEGATIVE		NEGATIVE	
CAMPYLOBACTER	NEGATIVE		NEGATIVE	
E.COLI O157	NEGATIVE		NEGATIVE	
YERSINIA ENTEROLITICA	NEGATIVE		NEGATIVE	
SHIGA TOXIN 1/2	NEGATIVE		NEGATIVE	
E.COLI ST/LT	NEGATIVE		NEGATIVE	
C.DIFFICILE TOXIN A/B		<b>POSITIVE</b>	NEGATIVE	
VIBRIO CHOLERA	NEGATIVE		NEGATIVE	

**VIRUSES**

ADENOVIRUS 40/41	NEGATIVE		NEGATIVE	
NOROVIRUS GI	NEGATIVE		NEGATIVE	
NOROVIRUS GII	NEGATIVE		NEGATIVE	
ROTAVIRUS A	NEGATIVE		NEGATIVE	

**PARASITES**

CRYSTOSPORIDIUM	NEGATIVE		NEGATIVE	
ENTAMOEBIA HISTOLYTICA	NEGATIVE		NEGATIVE	
GIARDIA LAMBLIA	NEGATIVE		NEGATIVE	

Interpretation:

The xTAG Gastrointestinal Pathogen Panel (GPP) is an FDA approved multiplexed nucleic acid test intended for the simultaneous qualitative detection of multiple viral, parasitic, and bacterial targets in human stool specimens from individuals with signs and symptoms of infectious colitis or gastroenteritis.

Negative results do not rule out the possibility of infection. Result should be interpreted in conjunction with other relevant tests and the patient's clinical profile. If you have any questions, please contact the Molecular Diagnostics laboratory at Accureference Medical Lab.

----- END OF REPORT -----