

---

## 75W Explosion Proof UV Drop/Inspection Light - 120V AC - UV-A, 365NM - 50' SOOW Cord - EXP Plug

**EPL-120-UV-50-EPP**



---

### EPL-120-UV-50-EPP Explosion Proof UV Drop Light

**Listing:** United States & Canada

**Lamp Type:** A19 Incandescent UV Bulb

**Dimensions:** 16.5"L x 5"

**Total Weight:** 9.45 lbs

**Weight (Lamp Only):** 5 lbs

**Voltage:** 120V AC 50/60 Hz

**Total Watts:** 75 Watts

**Lamp Life:** 1,000+ Hrs

**Beam Type:** UV-A, 365 nm

**Beam Angle:** Omni-directional

**Housing Material:** Non-sparking Aluminum

**Mounting:** Aluminum Hook

**Wiring:** 50' 16/3 SOOW Cord w/ EXP Cord Cap

**Cord Cap:** EXP 5-15 Straight or EXP 5-20 Straight

**YOU CAN RENT THIS UNIT. CONTACT 1-800-369-6671.**

### Ratings/Approvals

Class I, Division 1 & 2, Groups C, D

Class II, Division 1 & 2, Groups F, G

Class I, Zone 1, Group IIB

Listed to UL 844

Listed to CSA 22.2 No. 137

Listed for United States and Canada

Temperature Rating T3B

### Special Orders- Requirements

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-270-1187

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

**Options:**

**EPL-120-UV-50-EPP-Cord Cap**

**Example: EPL-120-UV-50-EPP-1523**

Cord Cap	
5-15 STRAIGHT	-1523
5-20 STRAIGHT	-2023-125V

Links (Click on the below items to view):

- [Addpic1large](#)
- [Addpic2large](#)
- [Addpic3large](#)
- [Addpic4large](#)
- [large](#)
- [Manual](#)
- [medium](#)
- [SpecSheetSpanish](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)