Explosion Proof Vacuum - C1D1, C2D1 - 55 Gal Capacity - Certified HEPA Filter - 48 CFM Required

Part #: EPV-PN-55G-48CFM-1.5IN-15D



The Larson Electronics EPV-PN-55G-48CFM-1.5IN-15D is an Explosion Proof Vacuum for flammable environments and industrial applications. This 55-gallon unit features an anti-static hose, 18 gauge steel drum and a swivel caster base for seamless portability. The certified HEPA explosion proof vacuum is equipped with a 3/4" x 20' anti-static air line for power.

The EPV-PN-55G-48CFM-1.5IN-15D is a certified HEPA vacuum designed for Class I, Divisions 1 & 2 and Class II, Divisions 1 & 2 environments. This unit features a 55-gallon capacity tank with 48 required CFM during use. The explosion proof vacuum is equipped with an anti -static 1.5" x 25' hose and an external grounding wire for protection. A 3/4" x 20' anti-static air line is provided for powering the unit. The EPV-PN-55G-48CFM-1.5IN-15D features an 18-gauge steel drum. The explosion proof tank is equipped with a swivel caster base for portable and seamless transportation around the work site. This explosion proof unit comes with a 1.5" OD 2-piece steel wand, floor tool, crevice tool and gulper wand.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLCwww.LarsonElectronics.com9419 E US HWY 175, Kemp, TX 75143Phone: 1 800-369-6671Fax: 903.498.3364Email: sales@LarsonElectronics.com

Specifications / Additional Information

EPV-PN-55G-48CFM-1.5IN-15D Explosion Proof HEPA Vacuum	Ratings
Unit Type: Explosion Proof Vacuum	Certified for United States & Canada
Hose Dimensions: 1.5" x 25'	Class I, Divisions 1 & 2, Groups A, B, C, D
Weight: -	Class II, Divisions 1 & 2, Groups E, F, G
CFM (Required): 48 CFM	Class I, Zones 1 & 2
Capacity: 55 Gallons	Class II, Zones 21 & 22
Filter Type: Certified HEPA	
Protection: Anti-static Hose/Air Line	Special Orders- Requirements
Materials: 18 Gauge Steel Drum	Contact us for special requirements
Mount: Portable/Wheel via Swivel Caster Base	Phone: 1-214-616-6180
Grounding: External Wire	Toll Free: 1-800-369-6671
Power: 3/4" x 20' Air Line	Fax: 1-903-498-3364
Accessories: 1.5" OD 2-piece Steel Wand, Floor Tool, Crevice Tool, Gulper Wand	E-mail: sales@larsonelectronics.com
Scroll Down to Purchase	
This product does not qualify for free chipping	

This product does not qualify for free shipping.

Part #: EPV-PN-55G-48CFM-1.5IN-15D (154088)

Links (Click on the below items to view):

- Hi-Res Image 1- Explosion Proof HEPA Vacuum